



智能开合帘系统
Intelligent Curtain Motor Control System



功能说明 Functions

无线遥控，内置接收

Wireless remote control, with build-in receiver

电子行程，自动设限位

Electronic limit switch

Set the open limit and close limit of the curtain automatically when the power is on.

具有遇阻停止功能，防止意外

The curtain motor could stop automatically when it meets resistance. It is of high safety to avoid accident

拉动窗帘，可自动运行

With a pull of the motorized curtain, we could open or close the curtain automatically when the power is on


停电手拉功能

When the power is off, we could pull the curtain and the motorized curtain would open or close automatically


Type型号	Rated Torque 额定扭矩 (N.m)	open/close speed 平移速度 (cm/sec)	Nominal Consumption 额定功率 (W)	Nominal Voltage 额定电压 (V)	Nominal Current 额定电流 (A)	Frequency 频率 (hz)	Running Time 连续工作时间 (min)	Protection Index 保护等级
230V/50Hz								
32.CM.01	1N	20	87	230	0.40	50	4	20
32.CM.02	2N	20	136	230	0.60	50	4	20

开合帘系统配件图

Curtain motor accessories



轨道系统 Curtain Track System



A型轨道
(Track A system)



直轨 Straight track



弯轨 Curved track

根据不同的使用场地及要求，可选择
安装直轨或弯轨开合帘系统

Straight track or curved track could be chosen
for installation as per different usage or request

解决方案 Solutions
单层窗帘解决方案

Single-Layer Curtain Solution


双层窗帘解决方案

Double-Layer Curtain Solution


并联解决方案

Parallel Connection Solution

